

# Designing Situated Dashboards: Challenges and Opportunities

Anika Sayara\*  
University of British Columbia

Benjamin Lee†  
University of Stuttgart

Carlos Quijano-Chavez‡  
University of Stuttgart

Michael Sedlmair§  
University of Stuttgart




Figure 1: Situated dashboard sketching scenarios of participants. From left to right: P4 sketched multiple panels scattered around the office close to relevant subjects (top) and a single panel (bottom); P1 used situated dashboards to control physical referents: air-conditioner, blinds, etc.; P5 grouped categories of information in panels (bottom) and placed them around the room (top); P3 sketched three tabletop-situated dashboards; P6 used situated dashboard to playback time series data as situated visualizations: energy consumption as colored highlights (top), coffee consumption as number of cups (middle), and playback of camera footage via holograms (bottom). P2 decided not to sketch.

## ABSTRACT

Situated Visualization is an emerging field that unites several areas - visualization, augmented reality, human-computer interaction, and internet-of-things, to support human data activities within the ubiquitous world. Likewise, dashboards are broadly used to simplify complex data through multiple views. However, dashboards are only adapted for desktop settings, and requires visual strategies to support situatedness. We propose the concept of AR-based situated dashboards and present design considerations and challenges developed over interviews with experts. These challenges aim to propose directions and opportunities for facilitating the effective designing and authoring of situated dashboards.

**Index Terms:** Situated Dashboard, Dashboard Design, Situated Analytics, Data Visualization, Augmented Reality

## 1 INTRODUCTION

Data is ubiquitous in the physical world around us. A person may desire to understand more about some passive referent, or to keep informed of the state of some actively updating referent [19]. With augmented reality (AR) head-mounted displays (HMD), it is possible to decrease the level of spatial indirection between the referent and its data, such that it is displayed close to or even embedded on top of each other [39]. Thus, many works on situated visualization have sought to minimize this indirection, whether it be to overlay AR visualizations directly on top of grocery store products [12], display information about a building next to it [31], or show temporal data next to temperature sensors in a building [19].

In the physical world, we are bound by physical constraints. In particular, the design of situated visualization is influenced by its navigational requirements [24]. For example, if the physical referents are spread across a large area, the use of embedded visualizations may be problematic due to the physical and mental effort required to locate and navigate to the referents. Thus, using a *many-to-one* view may help consolidate such spatially distributed information into a singular visual representation [24].

In traditional desktop computing, visualization dashboards are vital in their ability to also consolidate large amounts of disparate information into a format that provides an overview of the data. Dashboards are particularly useful for hiding the complexities of the logical world from end-users, making data easily accessible without the end-user needing to know where and how the data comes from.

Therefore, we propose the concept of AR-based *situated dashboards*. While viewing the data in its exact physical context can be useful, situated dashboards may accommodate situations where needing to be in said physical context is too cumbersome or impractical. For example, an AR-situated dashboard might provide a factory manager with the status of all operations on the floor at any moment's notice. The application could then help the manager navigate to a problematic areas of the factory (e.g., using situated AR navigational instructions [26, 31]). The dashboard may then transition into an embedded view [39] for the manager to engage in problem-solving within the physical context.

While traditional visualization dashboards are commonplace, and are technically already in use in many situated contexts, there has been little to no exploration on the use of situated dashboards in AR, which is now arguably the de-facto standard for situated visualization [5, 35]. The possibilities of situated dashboards are vast, and there is no clear definition or approach for how they can be designed, created, or even evaluated. In this position paper, we establish a preliminary understanding of situated dashboards through a set of six interviews with researchers in both situated visualization and AR. Our interviews focus on understanding experts' perception about situated dashboards, design considerations, and potential challenges of designing and authoring situated dashboards.

\*e-mail: sayanika@cs.ubc.ca

†e-mail: Benjamin.Lee@visus.uni-stuttgart.de

‡e-mail: quijanrc@visus.uni-stuttgart.de

§e-mail: Michael.Sedlmair@visus.uni-stuttgart.de

## 2 RELATED WORK

Since our study is focused on assessing dashboard design for situated visualization, we surveyed the literature on: (1) dashboard design considerations and (2) situated visualizations.

### 2.1 Dashboard Design

Dashboards are broadly used in business intelligence to support users in analyzing complex data sets through multiple views [38] and the coordination between them [34]. Dashboard design guidelines emerged to advise visual perception, information load, and interactions (e.g. [6, 8, 13, 17, 18, 21, 30]). Popular visualization tools like Tableau and PowerBI contain huge galleries of templates in order to generate dashboards. However, such systems are challenging to use for non-experts. On the other hand, researchers make efforts to provide authoring and visualization recommendations tools (e.g. [22, 27, 40]). Recently Bach et al. [1] surveyed dashboard designs and detailed 48 design patterns. They mapped solutions: *data abstraction, screenspace organizing, grouping of elements, relations encoding and the interaction or personalization* in the dashboard design process. Despite those studies being focused on conventional displays, we considered those solutions to prepare the questions.

### 2.2 Situated Visualization

Willett et al. [39] defined *situated visualizations* as a situated data representation in a relevant location where the representations are connected to physical referents. When referents are not accessible, referents can be represented using scaled 3D models (*proxies*) [32]. Bressa et al. [5] surveyed studies and proposed perspectives to categorize the concept of situatedness: (1) *space* puts emphasis on the spatial organization and relationship between the physical environment and visualizations; (2) *time* focuses on the distance in time between the gathered data and its presentation; (3) *place* considers the meaningful location where users act; (4) *activity* refers to the human activities that designers need to consider with visualizations being appropriated to contexts; and (5) *community* emphasizes in the audience, i.e., designers and developers. Each perspective opens challenges and motives our intention to design dashboards.

Recently, *active proxy dashboard* was proposed to analyze abstract visualizations from *proxies* through tangible interactions [33]. The main idea is to build binding events between proxies and data representations, allowing analysts to interact directly with proxies and visualizations that are displayed on conventional screens. Although the advantages of analyzing inaccessible referents and using powerful known displays, limitations about *place* and *activity* perspectives emerged. The context-dependent from human activities relies on context recreation difficulties. We believe that authoring tools will be closer to creating dashboards context-independent.

Furthermore, multiple studies seek to standardize properties and to establish guidelines that mitigate the challenges of multiple situated views. Batch et al. [3] evaluated different ways of view management and identified properties to consider in future implementations. More formally, Lee et al. [24] identified patterns, dimensions, and guidelines on how to investigate situated visualization.

## 3 INTERVIEW METHODOLOGY

A main contribution of our work is the results from semi-structured expert interviews of six AR and/or visualization researchers. The interviews aim to characterize challenges and opportunities for situated dashboard design. A focus group approach was not considered due to timeline constraints.

The participants were recruited through convenience sampling, and had varying levels of expertise in AR, data visualization, and situated visualization. Four of the six participants have published at least one paper on situated visualization/analytics. Three participants were interviewed in person, and the other three were interviewed remotely. The session started with the participants describing their

perception of situated dashboards. They were then tasked with ideating an AR HMD based situated dashboard for their typical workday at the office. At this time, the in-person participants were provided with pen and paper and the remote participants with Excalidraw board. While most participants used these, one remote participant chose not to sketch during the session but later emailed us a sketch. Another remote participant only described their ideas verbally. Throughout this process, participants were encouraged to articulate their thoughts regarding various aspects of their designs, including features, context, interactions, user experience, and potential implementation challenges. During this time the participants were also asked to reflect on their past experiences and talk about workflows for implementing situated visualizations. Following a reflexive thematic analysis method [4], we collected, transcribed, and analyzed the interview data.

## 4 DESIGN CONSIDERATIONS OF SITUATED DASHBOARDS

Our participants' perceptions of situated dashboards and their design considerations were fragmented, with diverse and sometimes conflicting views. Motivated by solutions proposed in the literature (Section 2.1), we discuss five main considerations: (1) What content do situated dashboards display; (2) What do they look like; (3) Where are they situated; (4) What interactions do they facilitate; and (5) How can they be customized?

### 4.1 Content of Situated Dashboards

When asked what they thought "dashboards" meant, most participants associated the term with data visualization. According to P4, P1, P5, and P2, a dashboard contains information from multiple sources that serves as an overview or summary. P3 identified this overview as the differentiating factor between situated visualization and a situated dashboard. However, they also defined a dashboard not by its content but by its ability to control something. Thus, a dashboard is "*a surface where we will be able to control something.*" By this definition, seeing the data alone is not sufficient to be considered a dashboard.

For "situated dashboards", P6 preferred a narrower definition. In their words: "*a dashboard needs to have more than one visualization about the same group of elements of physical objects. So when I hear a situated dashboard, it would mean that there are at least two visualizations about a specific object or a specific part of the physical workspace.*" P5 provided some considerations about the selection of content for a situated dashboard. According to them, the information shown on a situated dashboard depends on: (1) where the dashboard is placed in the environment; (2) who the user is; and (3) what information is important to the user in a target situation. Another important consideration, as pointed out by P5, is the privacy of the information presented on the dashboard, particularly if the situated dashboard is placed in a shared context.

### 4.2 Appearance of Situated Dashboards

When asked to design a situated dashboard, all participants laid out their visualizations on a rectangular 2D space (Figure 1). P1, P3, and P6 used a single panel to display all information. P5 instead used multiple panels, with each containing a group of relevant information. These panels were then scattered near their referents. P4 designed for both scenarios. When using a single panel for displaying multiple data sources, P4 designed their dashboard in such a way that the layout of the dashboard changes dynamically to focus on the information that is most relevant to the location or task of the user.

P6 went even further by creating associations between individual visualizations on their dashboard and physical referents through visual links (red lines on P6's sketch in Figure 1). Their intention with this was to "*to see the data streaming from the physical referent to the dashboard to the visualization itself.*"

### 4.3 Situatedness of the Dashboard

According to P6, “*you don’t situate the dashboard, you situate the information from the dashboard.*” All participants agreed that a situated dashboard should be in a specific context where it provides relevant and actionable information to users. As an example, P6 suggested that situated dashboards could be placed in the environment in order to playback time series data as situated visualizations.

P2 pointed out that the contents of a dashboard could be situated either near a physical referent, or near a tangible or virtual proxy of said referent [32]. They gave the example of a factory manager having a situated dashboard which was positioned near a tangible or virtual model of factory machinery in their office. P3 cautioned against the embedding of dashboards directly onto referents, stating “*I would have a hard time situating a dashboard into a very specific object, because if a dashboard is a lot of info why would I want to stick that to one object, unless that object was related to all the information.*” As a possible workaround, P4 suggested that the dashboard’s layout could dynamically change according to the user’s context in order to minimize clutter. For example, during lunchtime, food-related data would mainly be shown on the dashboard with everything else being minimized. During work hours however, the availability of co-workers would be shown instead.

Additionally, as P6 pointed out, not all data inherently has a spatial relationship with a physical referent, and thus it is not always straightforward to decide where to situate such data. In these cases, participants situated their dashboard design somewhere which they said would be most convenient for them to access. For example, P1, P4, and P5 all indicated they would choose to place a dashboard near their work desk. For P1 and P5 in particular, they emphasized the importance of the dashboard being within arm’s reach for easy interaction, particularly if the dashboard contained many interactive controls. For similar reasons, P3 suggested placing a dashboard on top of their students’ desks to facilitate interactive teaching activities.

### 4.4 Interacting with the Dashboard

When asked what modalities they would expect to use with situated dashboards, all participants suggested using mid-air hand, eye gaze, and tangible interactions. Voice input was not a preferred modality. P6 cited that it “might be hard to use in noisy environments”, and P4 and P5 stated that it would likely be uncomfortable to use in public.

As previously mentioned, most participants would rather interact with dashboards that are within arm’s reach, and would therefore avoid interacting with dashboards that were far away. In such a scenario, P5 said they would use the dashboard to only look at information, not interact with it. P4 instead said that gaze interaction on a distant dashboard could be a way to perform certain tasks. They proposed gazing at a calendar on the dashboard, which would then open it on their personal computer for them to make changes on it.

Other participants described alternative methods for interacting with the dashboard. P1 mentioned their dislike of mid-air interaction, suggesting that a mobile application or tangible slider could be used to manipulate the data and/or referent instead. P3 similarly suggested that the dashboard could be aligned against a tabletop surface, with physical objects being used to interact with the dashboard.

When asked how to perform basic visualization tasks, P2 proposed that data could automatically be filtered based on the physical proximity of the user to the referent. In contrast, P4 suggested that data could be manually filtered using checkboxes. They also envisioned using a pinch gesture to zoom into specific visualizations for more details, or by grab and dropping a visualization onto a secondary panel to expand it. Following the same overview first, zoom and filter mantra [36], P1 described a “reactive situated dashboard” which changes its level of detail via proxemics [20]. Alternatively, P1 suggested that the user could “*focus [their gaze] on something for an extended period of time, [...], it gets the information and you get more details on your dashboard.*”

### 4.5 Customizing the Dashboard

P2 and P4 emphasized the need to provide customization support for end-users to personalize their experiences with their situated dashboard. P4 suggested providing “building blocks” so that end-users “*can build a solution that they need.*” However, P4 also acknowledged the limitations of using building blocks to author entire situated dashboards. While it may be relatively easy to provide simple means to customize the layout of the dashboard, for example, they noted that “*[considering the] whole situated thing and like the context switching and so on [...] it becomes a lot more complicated.*”

## 5 CHALLENGES

We now discuss several challenges associated with situated dashboards. Most of them are based on the interviews, and others are based on our own internal discussions. Note that some challenges apply to the broader subject of situated visualization and analytics.

### 5.1 C1: (Situated) Authoring of Situated Dashboards

Despite it not being a common discussion topic in our interviews, we believe that the authoring process of situated dashboards is an obvious next step and research challenge.

An important consideration is the level of expertise expected of the end-user. At present, a small number of situated analytics toolkits exist—most notably, RagRug [19]. When talking about their typical workflow for implementing situated visualization with RagRug, P1 stated that it was easy to use while P3 firmly stated it was not. This disagreement between our own participants suggests the need for situated analytic toolkits that are easier for novices to use.

We believe this need is exacerbated when considering the potential end-users of such a toolkit. While most related work has considered situated analytics in some specific domain (e.g., building maintenance [29], sports [25]), we speculate that situated dashboards could be used in any context that involves data. Rather than devising a “one size fits all” application, end-users with limited expertise may want or need to customize and/or personalize their situated dashboards to suit their goals, data sources, and physical environments. Consider a restaurant manager who wants to have an AR situated dashboard to keep track of stock levels. Instead of hiring an expert to create the dashboard, the manager wants to do it by themselves to properly tailor it to their own preferences and needs. The toolkit therefore needs to be simple enough for even laypersons to use, but be expressive enough to have utility in a wide range of scenarios.

The best authoring paradigm however is unclear. In broader immersive analytics, authoring systems range from text-based specifications (e.g., [7, 37]) to GUIs (e.g., [9]) to fully embodied interactions (e.g., [10]). The latter approach would likely involve “building blocks”, as P4 suggested, to allow end-users to easily build situated dashboards without complex grammars or code. Other researchers have also suggested this approach [23], but it can limit expressiveness if not enough presets and templates are provided. That said, if situated dashboards were instead used as interaction panels as per P3 and P5, then complex visualization toolkits may not even be needed.

P5 and P3 had expressed frustrations in creating AR visualizations. At present, deployment requires a switch between development and situated contexts, incurring a high temporal and cognitive cost. Tools like Corsican Twin [29] circumvent this by allowing authoring of situated visualizations immediately in the physical environment itself. This form of situated authoring would likely be ideal for creating situated dashboards in the future. Situated authoring may also serve to explicitly connect and link the data of referents to the dashboard’s visualizations. Ivy by Ens et al. [14] demonstrates this idea by using 3D visual links to connect data nodes in a 3D environment together. While certainly straightforward, such direct linking might not be practical when referents are either too far away, too high in number, or are not spatially registered. RagRug [19]

provides a more standardized solution to link data sources to visualizations via MQTT, but this approach may be too technical for laypeople. Thus, finding an appropriate solution for this would be paramount for situated dashboards (and visualization as a whole).

The concept of context-awareness came up numerous times in our interviews. The dashboard may change and adapt depending on contextual factors, such as changing views based on the user's spatial proximity to referents. The challenge here is not only ensuring the system itself is context-aware [2], but also to investigate how the end-user might best define dashboard adaptations based on their chosen contextual factors.

## 5.2 C2: Dashboard Layout & Scalability

The choice of dashboard layout may be challenging as this influences its effectiveness. The standard approach would be to use 2D dashboards as floating panels. Their similarity to conventional dashboards may prove to be their strength, and all participants only considered 2D visualizations in our interviews. In contrast, no participants mentioned using 3D visualizations at all, which is unsurprising given their perception issues and propensity to occlude. P2, however raised an interesting point in that a 3D proxy comprised of multiple referents may function as a dashboard (i.e., proxisited visualization [32]). While the proxy would look like a 3D world-in-miniature, its purpose would serve mostly as a 3D overview of the full environment rather than for navigation or manipulation [11]. It may be that while a 2D dashboard provides a familiar overview of the data, a 3D dashboard may perform better when understanding the spatial layout of the data and referent is paramount.

The question of scalability also arose in our interviews. P1 suggested that having too many visualizations on a dashboard would necessitate some form of filtering. This filtering may be automatic based on context or be performed manually by the end-user. Alternate representations of data may also need to be employed. Rather than one visualization per referent, all referents could be aggregated into a single one. The trade-off however is that it may unintentionally hide important information. A third approach may be to embrace the large number of visualizations. As immersive devices are oftentimes touted by their ability for large workspaces, dashboards could be infinitely scaled to present large amounts of data. While this may obscure the surrounding environment in an AR context, a cross-virtuality setup could be employed to transition the end-user into VR, resulting in a "focused" mode to analyse the dashboard's data. How best to handle this scalability issue remains unclear.

## 5.3 C3: Placement and Interaction of Dashboards

From our interviews, the placement of situated dashboards depends on the data and the end-user's intention to interact with it. While it might be imperative to place the dashboards in places where it provides actionable information to users (i.e., nearby the referent), many participants preferred the dashboard to be at arm's reach to make interaction easier. Even so, arm's reach may require the dashboard to float in mid-air, or be overlaid against a wall or table to enable touch-like input. This demonstrates a challenge in balancing between proper situatedness of the dashboard, and ease of interaction regardless of the end-users physical proximity to the referent.

Interestingly however, no participants talked about how a situated dashboard might move with the end-user throughout the physical environment, even though proximity to referents was the main example given for context-aware dashboards. It is safe to assume that dashboards could be moved manually, but automatic solutions may also be employed (e.g., [16]). However, dashboards can vary greatly in terms of their size, content, and appearance. It might even be imperative that a specific dashboard be placed next to its referents, acting as a hard requirement for its placement. Future work may consider these factors and determine how best to address them.

## 5.4 C4: Navigation between Dashboard and Referent

P6 briefly described how visualizations on a situated dashboard could be associated with referents. This can be considered as an overview first, zoom and filter interaction [36]. The end-user identifies a referent on the dashboard, then navigates to its physical location which may contain other situated or embedded visualization(s). This may require a form of visual guidance by the system. If the referent is in close proximity, simple attention guidance like a visual link is enough (e.g., [28]). If further away, a more complete navigation technique might need to be employed instead (e.g., [26, 31]). Willett et al. [39] suggested that visualizations could transition from non-situated to situated to embedded. Thus, an interesting consideration is whether a transition occurs between the dashboard and any situated/embedded visualizations on the referent. If both dashboard and referent visualizations use the same idiom, then this is trivial: use the same visualization. But if they use different idioms, then designing a suitable transition may prove challenging.

## 5.5 C5: Moving in/out/between Situated Environments

While our interviews discussed what makes a situated dashboard "situated", an interesting consideration is what happens when the user moves in, out, or between configured situated environments. Consider someone walking into a store. Does a dashboard of store prices suddenly appear in front of them, or is it fixed near the store's entrance? Now consider the same person moving to another store, with it also having its own situated dashboard application. Does the same dashboard change content, does a new dashboard appear and replace the other, or do multiple dashboards appear simultaneously? These questions relate to the broader societal context surrounding each situated environment. If situated dashboards become ubiquitous and are loaded on-the-fly as we move about the physical world, how does the system manage each situated environment? Who decides who "owns" a particular spatial region in which a dashboard or visualizations appears in? For situated analytics to become commonplace, these questions likely need to be addressed.

## 5.6 C6: Collaborative and Remote Situated Environments

Given that AR allows users to interact with real scenarios and permits direct communication, collaborative and remote approaches must be studied [15]. Our proposal about situated dashboards is not limited to collaborative and remote tasks of conventional authoring tools. We go beyond proxisited visualizations [32] and envision remote authoring situated dashboards. Although tangible interaction performs helpful in some scenarios, the collaborative work would get huge benefits by sharing non-accessible non-reproducible referents.

## 6 CONCLUSION AND FUTURE WORK

In this position paper, we proposed and investigated the concept of situated dashboards. We identified key design considerations and challenges through interviews with six researchers in (situated) visualization and/or AR. It is apparent that there is no singular agreed upon definition of situated dashboards, let alone their design, behavior, and interactivity. Thus, future work on situated dashboards and analytics as a whole may need to support a wide range of different designs and contexts, in order to support the needs of a wide range of end-users. The challenges we identified thus serve as future research directions in service of this broader goal.

## ACKNOWLEDGMENTS

We would like to thank Samuel Beck, Aimee Sousa Calepso, Philipp Fleck, Arnaud Prouzeau, Sebastian Rigling, and Kadek Satriadi for participating in the study. This research was funded by the German Research Foundation (DFG) project 495135767 and the Austria Science Fund (FWF) project I 5912-N (joint Weave project). The project is associated with and further supported by the DFG Excellence Cluster EXC 2120/1 – 390831618.

## REFERENCES

- [1] B. Bach, E. Freeman, A. Abdul-Rahman, C. Turkay, S. Khan, Y. Fan, and M. Chen. Dashboard design patterns. *IEEE Transactions on Visualization and Computer Graphics*, 29(1):342–352, 2023. doi: 10.1109/TVCG.2022.3209448
- [2] M. Baldauf, S. Dustdar, and F. Rosenberg. A survey on context-aware systems. *International Journal of Ad Hoc and Ubiquitous Computing*, 2(4):263–277, Jan. 2007. doi: 10.1504/IJAHUC.2007.014070
- [3] A. Batch, S. Shin, J. Liu, P. W. S. Butcher, P. D. Ritsos, and N. Elmqvist. Evaluating view management for situated visualization in web-based handheld ar. *Computer Graphics Forum*, 42(3):349–360, 2023. doi: 10.1111/cgf.14835
- [4] V. Braun and V. Clarke. Reflecting on reflexive thematic analysis. *Qualitative research in sport, exercise and health*, 11(4):589–597, 2019.
- [5] N. Bressa, H. Korsgaard, A. Tabard, S. Houben, and J. Vermeulen. What’s the Situation with Situated Visualization? A Survey and Perspectives on Situatedness. *IEEE Transactions on Visualization and Computer Graphics*, 28(1):107–117, Jan. 2022. doi: 10.1109/TVCG.2021.3114835
- [6] K. Bugwandeen and M. Ungerer. Exploring the design of performance dashboards in relation to achieving organisational strategic goals. *South African Journal of Industrial Engineering*, 30:161 – 175, 08 2019.
- [7] P. W. S. Butcher, N. W. John, and P. D. Ritsos. VRIA: A Web-Based Framework for Creating Immersive Analytics Experiences. *IEEE Transactions on Visualization and Computer Graphics*, 27(7):3213–3225, July 2021. doi: 10.1109/TVCG.2020.2965109
- [8] M. Chen, A. Abdul-Rahman, D. Archambault, J. Dykes, P. Ritsos, A. Slingsby, T. Torsney-Weir, C. Turkay, B. Bach, R. Borgo, A. Brett, H. Fang, R. Jianu, S. Khan, R. Laramee, L. Matthews, P. Nguyen, R. Reeve, J. Roberts, F. Vidal, Q. Wang, J. Wood, and K. Xu. Rampvis: Answering the challenges of building visualisation capabilities for large-scale emergency responses. *Epidemics*, 39:100569, 2022. doi: 10.1016/j.epidem.2022.100569
- [9] M. Cordeil, A. Cunningham, B. Bach, C. Hurter, B. H. Thomas, K. Marriott, and T. Dwyer. IATK: An Immersive Analytics Toolkit. In *2019 IEEE Conference on Virtual Reality and 3D User Interfaces (VR)*, pp. 200–209. IEEE, Osaka, Japan, Mar. 2019. doi: 10.1109/VR.2019.8797978
- [10] M. Cordeil, A. Cunningham, T. Dwyer, B. H. Thomas, and K. Marriott. ImAxes: Immersive Axes as Embodied Affordances for Interactive Multivariate Data Visualisation. In *Proceedings of the 30th Annual ACM Symposium on User Interface Software and Technology*, pp. 71–83. ACM, Québec City QC Canada, Oct. 2017. doi: 10.1145/3126594.3126613
- [11] K. Danyluk, B. Ens, B. Jenny, and W. Willett. A Design Space Exploration of Worlds in Miniature. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, CHI ’21, pp. 1–15. Association for Computing Machinery, New York, NY, USA, May 2021. doi: 10.1145/3411764.3445098
- [12] N. ElSayed, B. Thomas, K. Marriott, J. Piantadosi, and R. Smith. Situated Analytics. In *2015 Big Data Visual Analytics (BDVA)*, pp. 1–8, Sept. 2015. doi: 10.1109/BDVA.2015.7314302
- [13] M. Elshehaly, R. Randell, M. Brehmer, L. McVey, N. Alvarado, C. P. Gale, and R. A. Ruddle. Qalldash: Adaptable generation of visualisation dashboards for healthcare quality improvement. *IEEE Transactions on Visualization and Computer Graphics*, 27(2):689–699, 2021. doi: 10.1109/TVCG.2020.3030424
- [14] B. Ens, F. Anderson, T. Grossman, M. Annett, P. Irani, and G. Fitzmaurice. Ivy: Exploring Spatially Situated Visual Programming for Authoring and Understanding Intelligent Environments. In *Proceedings of the 43rd Graphics Interface Conference*, GI ’17, pp. 156–162. Canadian Human-Computer Communications Society, Waterloo, CAN, Jan. 2017.
- [15] B. Ens, B. Bach, M. Cordeil, U. Engelke, M. Serrano, W. Willett, A. Prouzeau, C. Anthes, W. Büschel, C. Dunne, T. Dwyer, J. Grubert, J. H. Haga, N. Kirshenbaum, D. Kobayashi, T. Lin, M. Olaosebikan, F. Pointecker, D. Saffo, N. Saquib, D. Schmalstieg, D. A. Szafir, M. Whitlock, and Y. Yang. Grand challenges in immersive analytics. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, CHI ’21. Association for Computing Machinery, New York, NY, USA, 2021. doi: 10.1145/3411764.3446866
- [16] J. M. Evangelista Belo, M. N. Lystbæk, A. M. Feit, K. Pfeuffer, P. Kán, A. Oulasvirta, and K. Grønbaek. AUIT – the Adaptive User Interfaces Toolkit for Designing XR Applications. In *Proceedings of the 35th Annual ACM Symposium on User Interface Software and Technology*, UIST ’22, pp. 1–16. Association for Computing Machinery, New York, NY, USA, Oct. 2022. doi: 10.1145/3526113.3545651
- [17] S. Few. *Information dashboard design: The effective visual communication of data*. O’Reilly Media, Inc., 2006.
- [18] S. Few and P. Edge. Dashboard confusion revisited. *Perceptual Edge*, pp. 1–6, 2007.
- [19] P. Fleck, A. Sousa Calepso, S. Hubenschmid, M. Sedlmair, and D. Schmalstieg. RagRug: A Toolkit for Situated Analytics. *IEEE Transactions on Visualization and Computer Graphics*, pp. 1–1, 2022. doi: 10.1109/TVCG.2022.3157058
- [20] E. T. Hall, R. L. Birdwhistell, B. Bock, P. Bohannon, A. R. Diebold, M. Durbin, M. S. Edmonson, J. L. Fischer, D. Hymes, S. T. Kimball, W. La Barre, J. E. McClellan, D. S. Marshall, G. B. Milner, H. B. Sarles, G. L. Trager, and A. P. Vayda. Proxemics [and Comments and Replies]. *Current Anthropology*, 9(2/3):83–108, Apr. 1968. doi: 10.1086/200975
- [21] R. Kitchin, T. P. Lauriault, and G. McArdle. Knowing and governing cities through urban indicators, city benchmarking and real-time dashboards. *Regional Studies*, 2(1):6–28, 2015.
- [22] Y. S. Kristiansen, L. Garrison, and S. Bruckner. Semantic snapping for guided multi-view visualization design. *IEEE Transactions on Visualization and Computer Graphics*, 28(1):43–53, 2022. doi: 10.1109/TVCG.2021.3114860
- [23] B. Lee, A. Satyanarayan, M. Cordeil, A. Prouzeau, B. Jenny, and T. Dwyer. Deimos: A Grammar of Dynamic Embodied Immersive Visualisation Morphs and Transitions. In *CHI Conference on Human Factors in Computing Systems*, pp. 1–18. ACM, Hamburg, Germany, Apr. 2023. doi: 10.1145/3544548.3580754
- [24] B. Lee, M. Sedlmair, and D. Schmalstieg. Design Patterns for Situated Visualization in Augmented Reality. *To appear in IEEE VIS 2023*, 2023. doi: 10.48550/ARXIV.2307.09157
- [25] T. Lin, R. Singh, Y. Yang, C. Nobre, J. Beyer, M. A. Smith, and H. Pfister. Towards an Understanding of Situated AR Visualization for Basketball Free-Throw Training. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, pp. 1–13. ACM, Yokohama Japan, May 2021. doi: 10.1145/3411764.3445649
- [26] A. Mulloni, H. Seichter, and D. Schmalstieg. Handheld augmented reality indoor navigation with activity-based instructions. In *Proceedings of the 13th International Conference on Human Computer Interaction with Mobile Devices and Services*, MobileHCI ’11, pp. 211–220. Association for Computing Machinery, New York, NY, USA, Aug. 2011. doi: 10.1145/2037373.2037406
- [27] A. Pandey, A. Srinivasan, and V. Setlur. Medley: Intent-based recommendations to support dashboard composition. *IEEE Transactions on Visualization and Computer Graphics*, 29(1):1135–1145, 2023. doi: 10.1109/TVCG.2022.3209421
- [28] A. Prouzeau, A. Lhuillier, B. Ens, D. Weiskopf, and T. Dwyer. Visual Link Routing in Immersive Visualisations. In *Proceedings of the 2019 ACM International Conference on Interactive Surfaces and Spaces*, ISS ’19, pp. 241–253. Association for Computing Machinery, New York, NY, USA, Nov. 2019. doi: 10.1145/3343055.3359709
- [29] A. Prouzeau, Y. Wang, B. Ens, W. Willett, and T. Dwyer. Corsican Twin: Authoring In Situ Augmented Reality Visualisations in Virtual Reality. In *Proceedings of the International Conference on Advanced Visual Interfaces*, AVI ’20, pp. 1–9. Association for Computing Machinery, New York, NY, USA, Oct. 2020. doi: 10.1145/3399715.3399743
- [30] N. H. Rasmussen, M. Bansal, and C. Y. Chen. *Business dashboards: a visual catalog for design and deployment*. John Wiley & Sons, 2009.
- [31] G. Reitmayr and D. Schmalstieg. Collaborative augmented reality for outdoor navigation and information browsing. *Proceedings of the Symposium on Location Based Services and TeleCartography*, Jan. 2004.
- [32] K. A. Satriadi, A. Cunningham, R. T. Smith, T. Dwyer, A. Drogemuller,

- and B. H. Thomas. Proxsituated visualization: An extended model of situated visualization using proxies for physical referents. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*, CHI '23. Association for Computing Machinery, New York, NY, USA, 2023. doi: 10.1145/3544548.3580952
- [33] K. A. Satriadi, B. Ens, S. Goodwin, and T. Dwyer. Active proxy dashboard: Binding physical referents and abstract data representations in situated visualization through tangible interaction. In *Extended Abstracts of the 2023 CHI Conference on Human Factors in Computing Systems*, CHI EA '23. Association for Computing Machinery, New York, NY, USA, 2023. doi: 10.1145/3544549.3585797
- [34] M. Scherr. Multiple and coordinated views in information visualization. *Trends in Information Visualization*, 38:33, 2008.
- [35] S. Shin, A. Batch, P. W. S. Butcher, P. D. Ritsos, and N. Elmqvist. The Reality of the Situation: A Survey of Situated Analytics. *IEEE Transactions on Visualization and Computer Graphics*, pp. 1–19, 2023. doi: 10.1109/TVCG.2023.3285546
- [36] B. Shneiderman. The eyes have it: A task by data type taxonomy for information visualizations. In *Proceedings 1996 IEEE Symposium on Visual Languages*, pp. 336–343. IEEE Comput. Soc. Press, Boulder, CO, USA, 1996. doi: 10.1109/VL.1996.545307
- [37] R. Sicat, J. Li, J. Choi, M. Cordeil, W.-K. Jeong, B. Bach, and H. Pfister. Dxr: A toolkit for building immersive data visualizations. *IEEE Transactions on Visualization and Computer Graphics*, 25(1):715–725, 2019. doi: 10.1109/TVCG.2018.2865152
- [38] M. Q. Wang Baldonado, A. Woodruff, and A. Kuchinsky. Guidelines for using multiple views in information visualization. In *Proceedings of the Working Conference on Advanced Visual Interfaces*, AVI '00, p. 110–119. Association for Computing Machinery, New York, NY, USA, 2000. doi: 10.1145/345513.345271
- [39] W. Willett, Y. Jansen, and P. Dragicevic. Embedded Data Representations. *IEEE Transactions on Visualization and Computer Graphics*, 23(1):461–470, Jan. 2017. doi: 10.1109/TVCG.2016.2598608
- [40] A. Wu, Y. Wang, M. Zhou, X. He, H. Zhang, H. Qu, and D. Zhang. Multivision: Designing analytical dashboards with deep learning based recommendation. *IEEE Transactions on Visualization and Computer Graphics*, 28(1):162–172, 2022. doi: 10.1109/TVCG.2021.3114826